

(Reaffirmed 2018) IS: 5742 (Part II) - 1970

(Reaffirmed 2004)

Indian Standard

(Reaffirmed 2013)

TERMS AND SYMBOLS FOR SIEVE BOTTOMS

PART II PERFORATED PLATES

UDC 621.928.2:001.4



© Copyright 1971

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 1

Price Rs 4.00

January 1971

*Indian Standard*TERMS AND SYMBOLS FOR
SIEVE BOTTOMS

PART II PERFORATED PLATES

Sieves, Sieving and Other Sizing Methods Sectional
Committee, BDC 19

Chairman

DR K. N. MATHUR

National Physical Laboratory, Hillside Road, New Delhi 12

*Members**Representing*

SHRI S. N. ARORA	Shalimar Wires & Industries Ltd, Uttarpara
SHRI D. N. CHAKRABORTY (<i>Alternate</i>)	
SHRI S. K. BAJORIA	Krishnalal Thirani & Co Ltd, Calcutta
SHRI S. K. GANDHI (<i>Alternate</i>)	
SHRI N. N. BANERJEE	All India Instrument Manufacturers and Dealers Association (Bombay Region)
SHRI R. R. CHAKRABORTY	National Instruments Ltd, Calcutta
DR I. C. DOS M. PAIS CUDDOU	Central Water & Power Commission, New Delhi
SHRI S. V. SURYANARAYANA (<i>Alternate</i>)	
SHRI HARCHAND SINGH	The Indian Steel & Wire Products Ltd, Jamshedpur
SHRI R. R. KAPLISH (<i>Alternate</i>)	
DR R. R. HATTIANGADI	The Associated Cement Companies Ltd, Bombay
DR M. K. GHAPUREY (<i>Alternate</i>)	
JOINT DIRECTOR, RESEARCH (FE), RDSO	Research, Designs and Standards Organization, Ministry of Railways, Lucknow
DEPUTY DIRECTOR, RESEARCH (FE), RDSO (<i>Alternate</i>)	
SHRI D. S. JOSHI	Hindustan Boilers, Bombay
Lt-COL R. V. N. KADAMBI	Research and Development Organization (Ministry of Defence)
SHRI N. MOHAN RAO (<i>Alternate</i>)	
SHRI CHANDRAKANT L. KHAGRAM	All India Wire Netting Manufacturers' Association, Bombay
SHRI V. KRISHNAMOORTHY	Directorate General of Technical Development
SHRI R. N. MALLICK	Directorate General of Technical Development
SHRI H. M. MARWAH	Hindustan Wire Netting Co Ltd, Bombay
SHRI G. H. MARWAH (<i>Alternate</i>)	
SHRI D. K. MEHTA	Tata-Tobins-Fraser Ltd, Jamshedpur
SHRI M. H. RAO (<i>Alternate</i>)	
SHRI PREM PRAKASH	National Physical Laboratory (CSIR), New Delhi
SHRI R. RAJARAMAN	Central Board of Irrigation & Power, New Delhi

(*Continued on page 2*)

INDIAN STANDARDS INSTITUTION

MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 1

IS : 5742 (Part II) - 1970

(*Continued from page 1*)

<i>Members</i>	<i>Representing</i>
SHRI E. K. RAMACHANDRAN	National Test House, Calcutta
DR B. RAO	Tata Iron & Steel Co Ltd, Jamshedpur
SHRI D. D. BHUPTANI (<i>Alternate</i>)	
SHRI J. R. SACHDEVA	Defence Production Organization (Ministry of Defence)
SHRI K. C. MISRA (<i>Alternate</i>)	
SHRI K. K. SENGUPTA	Hindustan Steel Ltd, Dhansar
SHRI A. K. SEN (<i>Alternate</i>)	
SHRI P. N. SOOD	All India Instruments Manufacturers and Dealers Association (Delhi Region)
SHRI P. V. SUBBA RAO	The Andhra Scientific Co Ltd, Masulipatam
SHRI K. C. TOSHNIWAL	All India Instrument Manufacturers and Dealers Association (Calcutta Region)
SHRI H. C. VERMA	Associated Instrument Manufacturers (India) Private Ltd, New Delhi
SHRI A. V. A. SHASTRI (<i>Alternate</i>)	
SHRI R. NAGARAJAN, Director (Civ Engg)	Director General, ISI (<i>Ex-officio Member</i>)

Secretary

SHRI VINOD KUMAR
Assistant Director (Civ Engg), ISI

*Indian Standard*TERMS AND SYMBOLS FOR
SIEVE BOTTOMS

PART II PERFORATED PLATES

0. FOREWORD

0.1 This Indian Standard (Part II) was adopted by the Indian Standards Institution on 30 July 1970, after the draft finalized by the Sieves, Sieving and Other Sizing Methods Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 A series of Indian Standards relating to sieves, methods of sieving with wire cloth and perforated plates for industrial sieves, domestic sieves has been prepared or is under preparation. These include a large number of terms and symbols used for defining screen bottoms. The extensive use of these terms has necessitated the preparation of this glossary; Part I of which covers woven and welded screens and Part II perforated plates.

0.3 In the formulation of this standard due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in the field in this country. This has been met by basing the standard on 'DIN 4185 Part 2 Screen bottoms, definitions and letter symbols for perforated screen bottoms' issued by Deutscher Normenausschuss.

I. SCOPE

1.1 This standard (Part II) gives various terms and their explanations with illustrations relating to perforated plates. The concerned symbols are also given.



2. TERMS AND SYMBOLS FOR PERFORATED PLATES

2.1 The terms and symbols for screen bottoms relating to perforated plates have been classified into the following main sections and are given in Table 1:

- a) General,
- b) Types of holes, and
- c) Arrangement of holes.

TABLE I TERMS AND SYMBOLS FOR PERFORATED PLATES
(Clause 2.1)

SL No. & TERM	SYMBOL	EXPLANATION	ILLUSTRATION
1. GENERAL			
1.1 Perforated plate side	a_1	Length of the side of the perforated plate in the direction of the larger hole spacing	
	b_1	Length of the side of the perforated plate in the direction of the smaller hole spacing	
1.2 Hole width	W	—	
1.2.1 For round holes	—	Diameter of the perforation	
1.2.2 For square holes	—	Length of the side of the hole	
1.2.3 For elongated holes	—	Smaller dimension of the hole	
1.2.4 For hexagonal holes	—	Diameter of the inscribed circle	
1.3 Hole length	l	Longest dimension of the hole	See Fig. for 1.2.3

1.4 Passage cross section	—	The cut is made perpendicular to the plane of sieving through the middle of a hole	
1.4.1 Parallel	—		
1.4.2 Conical	—		
1.5 Bridge width	c	Smallest unperforated length between two neighbouring holes measured on punch entry side	
1.5.1 Side bridge width	c_1	Smallest unperforated length between neighbouring elongated holes, measured perpendicular to the longitudinal axis of the hole measured on punch entry side	<i>See Fig. under 1.6.3</i>
1.5.2 Head bridge width	c_2	Smallest unperforated length between neighbouring elongated holes in the direction of their longitudinal axis measured on punch entry side	<i>See Fig. under 1.6.3</i>

(Continued)



TABLE 1 TERMS AND SYMBOLS FOR PERFORATED PLATES — *Contd*



SL NO. & TERM	SYMBOL	EXPLANATION	ILLUSTRATION
1.6 Pitch	—	—	
1.6.1 For round holes	t	Distance between centres of two neighbouring holes $t = c + \frac{W}{2} = c + W$	
1.6.2 For square holes	t	—	
1.6.2.1 Straight and diagonal rows	—	Distance between centres of two neighbouring square holes $t = c + W$	
1.6.2.2 Parallel rows of staggered holes	—	Distance between the centres of two neighbouring square holes or distance between centres of two rows of square holes $t = c + W$	

1.6.3 For elongated holes	—	—	
1.6.3.1 Straight rows of holes transverse pitch	t_1	Distance between centres of two neighbouring elongated holes, measured along the line perpendicular to their longitudinal axis $t_1 = c_1 + W$	
Longitudinal pitch	t_2	Distance between centres of two neighbouring elongated holes along their longitudinal axis $t_2 = c_2 + l$	
1.6.3.2 Staggered holes (non-overlapping) transverse pitch	t_1	Distance between centres of two neighbouring elongated holes, measured transverse to their longitudinal axis $t_1 = c_1 + W$	
Longitudinal pitch	t_2	Distance between centres of two neighbouring, staggered elongated holes rows, measured along the longitudinal direction of the holes $t_2 = c_2 + l$	
1.6.3.3 Staggered holes (overlapping) transverse pitch	t_1	Distance between centres of two non-staggered elongated holes, perpendicular to the longitudinal axis of the holes without considering the staggered hole in between $t_1 = 2c_1 + 2W$	
Longitudinal pitch	t_2	Distance between centres of two neighbouring elongated holes, measured along their longitudinal axis $t_2 = c_2 + l$	

(Continued)






TABLE 1 TERMS AND SYMBOLS FOR PERFORATED PLATES — *Contd*





SL No. & TERM	SYMBOL	EXPLANATION	ILLUSTRATION
1.7 Unperforated border	—	Distance between the outside edges of the holes of the extreme row and the edge of the plate, measured perpendicular to the latter on punch entry side	
1.7.1 For equal borders	e	In the direction of the greater distance between the hole rows	
∞	f	In the direction of the smaller distance between the hole rows	
1.7.2 For unequal borders	e_1 e_2 f_1 f_2	Smaller unperforated border Bigger unperforated border Smaller unperforated border Bigger unperforated border	
1.8 Direction of flow	—	Direction in which the material is led over the plate. It is fixed by the method of working of the sieving arrangement	—

2. TYPES OF HOLES			
2.1 Round holes	<i>R</i>	Holes of circular shape	
2.2 Square holes	<i>Q</i>	Holes of square shape	
2.3 Elongated holes	<i>LR</i>	Elongated holes with rounded ends	—
2.4 Hexagonal holes	<i>H</i>	Holes with six sides	
2.5 Other holes	—	All other holes are used for sieving only in special cases	
3. ARRANGEMENT OF HOLES			
3.1 Round holes			
3.1.1 In staggered rows	<i>R_s</i>	—	
3.1.2 In diagonally staggered rows	<i>R_d</i>	—	

(Continued)

TABLE 1 TERMS AND SYMBOLS FOR PERFORATED PLATES — *Contd*

SL NO. & TERM	SYMBOL	EXPLANATION	ILLUSTRATION
3.1.3 In straight rows	R_p	—	
3.2 Square holes	—	—	
3.2.1 Parallel (staggered)	Q_s	—	
3.2.2 Diagonal	Q_d	—	
3.2.3 In straight rows	Q_p	—	

3.3 Elongated holes	—	—	
3.3.1 Staggered with overlapping	LR_s	—	
3.3.2 In straight rows	LR_p	—	
3.3.3 Oblique	LR_o	—	
3.4 Hexagonal holes	—	—	
3.4.1 Staggered	H	—	

INDIAN STANDARDS
ON
Sieves, Sieving and other Sizing Methods

IS:	Rs
460-1962 Test sieves (<i>revised</i>)	8.00
1568-1960 Wire gauge for general purposes	1.50
1607-1960 Methods for dry sieving	5.50
2405-1963 Wire cloth and perforated plates for industrial sieves	2.50
3150-1968 Hexagonal wire netting for general purposes (<i>first revision</i>) ...	1.50
4124-1967 Glossary of terms relating to powders	3.50
4879-1968 Method of sub-division of gross sample of powder used for determination of particle size	5.50
4961-1968 Determination of particle size of powders by air elutriation methods	7.50
5257-1969 Eyepiece and screen graticules for determination of particle size of powders	2.00
5258-1969 Determination of particle size of powders by optical microscope method	11.00
5282-1969 Liquid sedimentation methods for determination of particle size of powders	8.50
5421-1969 Glossary of terms relating to test sieves and test sieving	2.50

PUBLICATIONS OF INDIAN STANDARDS INSTITUTION

INDIAN STANDARDS

Over 6 000 Indian Standards, broadly classified under the following main heads, have been issued so far:

Agriculture & Food
Chemical
Civil Engineering
Consumer Products

Electrotechnical
Mechanical Engineering
Structural & Metals
Textile

Of these, the standards belonging to the Civil Engineering Group fall under the following categories:

Aggregates	Modular Co-ordination
Boards and Sheets	Multi-Purpose River Valley Projects
Bricks and Blocks	Packing
Builder's Hardware	Pipe
Cement	Planning, Regulation and Control
Concrete Design and Construction	Plaster, Paint and Allied Finishes
Concrete Testing	Poles
Construction Equipment	Pozzolanas
Doors and Windows	Reinforcement
Drawing, Estimation and Measurement	Roof
Drawing Office Equipment	Safety in Construction
Fire Fighting Equipment	Sieves and Wire Gauzes
Fire Safety	Soil Engineering
Flexible Coverings	Stones
Floor Finish	Tar and Bitumen
Flow Measurement	Tiles
Flow Measuring Instruments	Timber
Foundation	Timber Design and Construction
Functional Design	Timber Stores
Furniture	Wall and Ceiling Finish
General Structural Design and Construction	Waterproofing and Damp-Proofing
Gypsum Products	Water Supply, Drainage and Sanitation
Lime	Water Supply, Sanitation and Drainage
Loading Standards	Fittings
Manufacture or Processing	Wood-Based Materials

OTHER PUBLICATIONS

	Rs
ISI Bulletin (Published Every Month)	3.00
Single Copy	3.00
Annual Subscription	25.00
Annual Reports (from 1948-49 Onwards)	2.00 to 3.00 each

Handbook of ISI Publications, 1970 (Pages viii + 629. Price Rs 12.00)
 incorporating annotations on all Indian Standards, and also listing
 ISO Recommendations and Publications of IEC

Available from

INDIAN STANDARDS INSTITUTION

Headquarters

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 1

Telephone 27 01 31 (20 lines)

Telegrams Manaksanstha

Branch Offices

Telegrams Manaksanstha

Syndicate Bank Building, Gandhinagar
 534 Sardar Vallabhbhai Patel Road
 5 Chowringhee Approach
 5-9-201/2 Chirag Ali Lane
 117/418 B Sarvodaya Nagar
 54 General Patters Road

Bangalore 9	Telephone	2 76 49
Bombay 7	"	35 69 44
Calcutta 13	"	23-08 02
Hyderabad 1	"	5 34 35
Kanpur 5	"	82 72
Madras 2	"	8 72 78